



## ■ TEGERA® 10PG

[Learn more](#)

## PRICEWORTHY BASIC CHEMICAL PROTECTION

This priceworthy basic glove, 0,7 mm/27,5 mil, coated with single-layered PVC, provides protection against chemical liquids. It features a smooth finish and a comfortable cotton interlock lining. It is resistant to oil and grease and suitable for heavy work. The glove is highly durable and latex-free to reduce the risk of allergies.

## CHARACTERISTICS

- Very durable

## FUNCTIONS

- Waterproof
- Protection against chemicals
- Latex-free

**PREVENTS RISK OF**

Corrosive injuries, contact with oil and fat, contact with moisture

**PRIMARY ENVIRONMENTS OF USE**

Chemical risk environments, microbiological risk environments, environments hazardous to health, corrosive environments, wet environments, moist environments, oily and greasy environments, harsh environments

**PRIMARY AREAS OF USE**

Building and construction, hvac installation, construction, soil preparation, concrete work, mining, agricultural work, marine work, petro-chemical work, chemical work, chemical technology work, paper industry work, decontamination, sanitation

**PRIMARY INDUSTRIES OF USE**

Agriculture, mining, oil, gas, petrochemical, pulp and paper, chemical, rubber and plastic, metal fabrication

**TYPE OF WORK**

Heavy weight

**CHEMICAL RESISTANCE**

According to EN16523-1:2015. For details, please contact Ejendals.

**SPECIFICATION**

**TYPE** Chemical protection gloves

**CATEGORY** Cat. III

**THICKNESS** 0,7\* mm (\*chem-layer)

**LINING MATERIAL** Interlock, Cotton

**LENGTH** 350 mm

**DEXTERITY** 5

**GRIP DESIGN** Smooth finish

**COLOUR** Red

**PAIRS PER: BUNDLE/CARTON** 12/60

**AQL** 0.65

**DIPPING MATERIAL** PVC (Vinyl)

**INNER MATERIAL SPECIFICATION** Cotton

**OUTER MATERIAL SPECIFICATION** Polyvinyl chloride



**COMPLIANCE**



TP TC 019:2011




EN ISO 374-1:2016/A1:2018 Type A AKLMPST



EN ISO 21420:2020

**FEATURES**



**TEST ACCORDING TO EN ISO 374-1:2016**

Tested chemical	A	K	L	M	P	S	T
Permeation level	2	6	3	3	6	5	6
Degradation %	-19,8	-21,5	-31,9	-8,0	-3,1	N/A	-16,6

SIZE		ARTICLE NUMBER	EAN
8	M	10PG-8	7340118310626
9	L	10PG-9	7392626062702
10	XL	10PG-10	7392626001084
11	XXL	10PG-11	7340118310619

**ejendals**

Limavägen 28, SE-793 32 Leksand, Sweden  
Phone +46 (0) 247 360 00 | info@ejendals.com | order@ejendals.com