

jalas® GRAN PREMIO 1898W WINTER KING

EN ISO 20349-2:2017 S3, SRC, CI, HRO, HI, WG EN ISO 20345:2011 S3, SRC, CI, HRO, HI, WG



[Learn more](#)

A high-cut, triple-lined winter safety boot with highest protection for very cold environments. Specially treated leather with heat resistance para-aramid thread in the seams provides a max operating heat limit of 400°C/752°F for 30 minutes and resists weld spatter. "W" in the name indicates that the boot is certified for welding. The oil and heat-resistant nitrile outer sole gives excellent grip and JALAS® aluminium toe cap, plasma-treated textile puncture protection and double impact protection zones in PORON® XRD® mean safety with every step.

CHARACTERISTICS

- Highest level of protection
- Excellent grip
- Perfect fit
- Extra comfortable
- Extremely warm
- Excellent shock absorption

FUNCTIONS

- ProNose toe reinforcement
- Wide fit
- KEVLAR® thread in the seams which resists 427° C short-term heat exposure (max operating limit) and 204° C longer-term heat exposure (constant operating limit)
- Heat-resistant upper
- Heat-resistant outsole
- Oil-resistant outsole
- Anti-static properties
- Padded boot shaft
- Pull loops
- Water repellent
- Double shock absorption zones
- Conforms with IEC 61340-5-1 (ESD)
- Heat-resistant
- Withstands welding sparks and grinding splash



PREVENTS RISK OF

Toe injuries, nail penetration, antistatic, contact with cold

PRIMARY ENVIRONMENTS OF USE

Outdoors, warm surfaces, environments with risk for outsole penetration, cold environments, harsh environments

PRIMARY AREAS OF USE

Hot work, metalwork, sheet-metal work, welding

PRIMARY INDUSTRIES OF USE

Metal fabrication

SPECIFICATION

TYPE Safety footwear, Boots

CATEGORY Cat. II

NAIL PROTECTION MATERIAL Plasma-treated composite (PTC) textile

FITTING Wide

COLLECTION Gran Premio

UPPER MATERIAL PU-coated leather

PRONOSE MATERIAL PU

TOECAP MATERIAL Aluminium

LINING MATERIAL Meida® thermo insulation, Polyester fur, Aluminium foil

INSOLE FX2 ThermAL

INNERSOLE MATERIAL Textile, Aluminium foil, Soft EVA, Merino wool, Double shock absorption zones in Poron® XRD®

MIDSOLE MATERIAL PU midsole

OUTSOLE MATERIAL Nitrile rubber outsole

COLOUR Black, Grey, Yellow

NET WEIGHT, (SIZE 42) 1.62 kg

COMPLIANCE




TP TC 019:2011

EN ISO 20349-2:2017
S3, SRC, CI, HRO, HI, WG

EN ISO 20345:2011
S3, SRC, CI, HRO, HI, WG

FEATURES



Anti-static properties



ESD



Heat-resistant upper



Aluminium toecap



Oil-resistant outsole



ProNose toe reinforcement



Nail protection in plasma-treated composite (PTC) textile



Wide fit



Heat-resistant outsole



Water repellent



Winter model

| SIZE | | | | ARTICLE NUMBER | EAN |
|------|-----|------|------|----------------|---------------|
| EU | UK | US M | US W | | |
| 35 | 2 | 3½ | 4 | 1898W-35 | 6408487522727 |
| 36 | 3 | 4 | 5 | 1898W-36 | 6408487522734 |
| 37 | 4 | 5 | 6 | 1898W-37 | 6408487522741 |
| 38 | 5 | 5½ | 6½ | 1898W-38 | 6408487522758 |
| 39 | 6 | 6½ | 7½ | 1898W-39 | 6408487522765 |
| 40 | 6½ | 7½ | 8½ | 1898W-40 | 6408487522772 |
| 41 | 7 | 8 | 9 | 1898W-41 | 6408487522789 |
| 42 | 8 | 9 | 10 | 1898W-42 | 6408487522796 |
| 43 | 9 | 9½ | 11 | 1898W-43 | 6408487522802 |
| 44 | 10 | 10½ | 11½ | 1898W-44 | 6408487522819 |
| 45 | 10½ | 11 | 12½ | 1898W-45 | 6408487522826 |
| 46 | 11 | 12 | 13 | 1898W-46 | 6408487522833 |
| 47 | 12 | 13 | 14 | 1898W-47 | 6408487522840 |
| 48 | 13 | 13½ | 14½ | 1898W-48 | 6408487522857 |
| 49 | 14 | 14½ | 15½ | 1898W-49 | 6408487522864 |
| 50 | 15 | 15½ | 16½ | 1898W-50 | 6408487522871 |

ejendals

Limavägen 28, SE-793 32 Leksand, Sweden

Phone +46 (0) 247 360 00 | info@ejendals.com | order@ejendals.com