



SIZE	ART. NO.	EAN NO.
7	10990-7	7392626038981
8	10990-8	7392626038998
9	10990-9	7392626039001
10	10990-10	7392626039018
11	10990-11	7392626039025

All values for the specified product are indicated without tolerances and may vary to actual value for individual products. We reserve the right to modify or update the information in this document without prior notice.

## TEGERA® 10990

Cut resistant glove, PU, palm-dipped, Dyneema®, Lycra®, nylon, 13 gg, smooth finish, cut resistance level 3, cut resistance level B, Cat. II, grey, white, breathable back, oil and grease resistant palm, for precision work

### PROPERTIES

High level of protection, extremely good fingertip sensitivity, extra flexible, durable, good grip, perfect fit, extra comfortable, very breathable, light

### SPECIFICATION

TYPE OF GLOVE Cut resistant gloves

CATEGORY Cat. II

CUT RESISTANCE (COUP) Cut resistance level 3

CUT RESISTANCE (EN ISO 13997) Cut resistance level B

CUT RESISTANCE (EN ISO 13997) NEWTON VALUE 5,2

SIZE RANGE (EU) 7, 8, 9, 10, 11

LINER MATERIAL Dyneema®, Lycra®, nylon, 13 gg

DIPPING Palm-dipped

DIPPING MATERIAL PU

DEXTERITY 5

GRIP PATTERN Smooth finish

CUFF STYLE Extended knitwrist cuff

LENGTH RANGE 240-280 mm

COLOUR Grey, white

PAIRS PER PACKAGE/CARTON 12/120

DISPLAY Bag with euro slot

MATERIAL SPECIFICATION Polyurethane 30%, elastane 15%, UHMWPE 55%



## TEGERA® 10990

### FEATURES

Cut resistant according to 388:2003 level 3, cut resistant according to 388:2016 level B, breathable back, oil and grease resistant palm

### PREVENTS RISK OF

Cut injuries, abrasion injuries, grazes, contact with dirt

### PRIMARY ENVIRONMENTS OF USE

Cut risk environments, oily and greasy environments, dirty environments

### PRIMARY AREAS OF USE

Fine assembly, assembly, building and construction, carpentry, installation work, HVAC installation, sheet-metal work, construction, soil preparation


### PRIMARY INDUSTRIES OF USE

Glass, bricks, concrete, metal fabrication, automotive

### TYPE OF WORK

Light weight

 Cat. II



All values for the specified product are indicated without tolerances and may vary to actual value for individual products. We reserve the right to modify or update the information in this document without prior notice.

2019-02-19

2(3)

**ejendals**  
PROTECTING HANDS AND FEET

**EJENDALS AB**

Box 7, SE-793 21 Leksand, Sweden

Phone +46 (0) 247 360 00

Fax +46 (0) 247 360 10

[info@ejendals.com](mailto:info@ejendals.com)

[order@ejendals.com](mailto:order@ejendals.com)

[www.ejendals.com](http://www.ejendals.com)

## TEGERA® 10990

### EC TYPE EXAMINATION

Notified Body: 0075 CTC, 4 rue Hermann Frenkel, 69367 Lyon Cedex 07 France

### COMPLIANCE DESCRIPTION

EN 420:2003 + A1:2009 Protective gloves - general requirements and test methods

EN 388:2003 Protective gloves against mechanical risks


Property	Level Achieved	(Maximum Performance)
A) Resistance to abrasion (No. of revolutions)	4	(4)
B) Resistance to cutting (Index)	3	(5)
C) Tear resistance (Newton)	4	(4)
D) Puncturing resistance (Newton)	2	(4)

EN 388 - Testing (specifies the requirements that apply for each safety level).

Level of protection/Performance level	1	2	3	4	5
A) Resistance to abrasion (No. of revolutions)	100	500	2 000	8 000	
B) Resistance to cutting (Index)	1,2	2,5	5,0	10,0	20,0
C) Tear resistance (Newton)	10	25	50	75	
D) Puncturing resistance (Newton)	20	60	100	150	



CE Cat. II



All values for the specified product are indicated without tolerances and may vary to actual value for individual products. We reserve the right to modify or update the information in this document without prior notice.

2019-02-19

**ejendals**  
PROTECTING HANDS AND FEET

**EJENDALS AB**

Box 7, SE-793 21 Leksand, Sweden

Phone +46 (0) 247 360 00

Fax +46 (0) 247 360 10

info@ejendals.com

order@ejendals.com

www.ejendals.com