



TEGERA® 10

Leather glove, winter-lined, 0,7-0,8 mm full grain goatskin, artificial fur, Cat. II, white, black, water repellent leather, for heavy work

PROPERTIES

High level of protection, durable, extra comfortable, warm

SPECIFICATION

TYPE OF GLOVE Cold insulation gloves

CATEGORY Cat. II

SIZE RANGE (EU) 11

PALM MATERIAL Full grain goatskin

PALM THICKNESS 0,7-0,8 mm

BACK MATERIAL Full grain goatskin

LINING Winter-lined

LINING MATERIAL Artificial fur

DEXTERITY 3

CUFF STYLE Knitwrist cuff

CUFF MATERIAL Textile

LENGTH RANGE 270 mm

COLOUR White, black

PAIRS PER PACKAGE/CARTON 6/60

DISPLAY Thread

OUTER MATERIAL SPECIFICATION Leather 97%, cotton 3%

INNER MATERIAL SPECIFICATION Polyester 100%

All values for the specified product are indicated without tolerances and may vary to actual value for individual products. We reserve the right to modify or update the information in this document without prior notice.



TEGERA® 10

FEATURES

Water repellent leather

PREVENTS RISK OF

Abrasion injuries, blisters, grazes, scratches, lacerations, contact with damp

PRIMARY ENVIRONMENTS OF USE

Cold environments, moist environments

PRIMARY AREAS OF USE

Construction, soil preparation, military work, fishing, hunting

PRIMARY INDUSTRIES OF USE


Transportation, service


TYPE OF WORK

Heavy weight

2(3)

CE Cat. II

 EN 388:2003
3322

 EN 511:2006
22X



All values for the specified product are indicated without tolerances and may vary to actual value for individual products. We reserve the right to modify or update the information in this document without prior notice.

2018-09-03

ejendals
PROTECTING HANDS AND FEET

EJENDALS AB

Box 7, SE-793 21 Leksand, Sweden

Phone +46 (0) 247 360 00

Fax +46 (0) 247 360 10

info@ejendals.com

order@ejendals.com

www.ejendals.com



CE Cat. II

EN 388:2003
3322

EN 511:2006
22X



All values for the specified product are indicated without tolerances and may vary to actual value for individual products. We reserve the right to modify or update the information in this document without prior notice.

2018-09-03

TEGERA® 10

EC TYPE EXAMINATION

Notified Body: 0493 Centexbel, Technologiepark 7, BE-9052 Zwijnaarde (Gent) Belgium

COMPLIANCE DESCRIPTION

EN 420:2003 Protective gloves - general requirements and test methods

EN 388:2003 Protective gloves against mechanical risks

Property	Level Achieved	(Maximum Performance)
A) Resistance to abrasion (No. of revolutions)	3	(4)
B) Resistance to cutting (Index)	3	(5)
C) Tear resistance (Newton)	2	(4)
D) Puncturing resistance (Newton)	2	(4)

EN 388 - Testing (specifies the requirements that apply for each safety level).

Level of protection/Performance level	1	2	3	4	5
A) Resistance to abrasion (No. of revolutions)	100	500	2 000	8 000	
B) Resistance to cutting (Index)	1,2	2,5	5,0	10,0	20,0
C) Tear resistance (Newton)	10	25	50	75	
D) Puncturing resistance (Newton)	20	60	100	150	

EN 511:2006 Protective gloves against cold

ejendals
PROTECTING HANDS AND FEET

EJENDALS AB

Box 7, SE-793 21 Leksand, Sweden

Phone +46 (0) 247 360 00

Fax +46 (0) 247 360 10

info@ejendals.com

order@ejendals.com

www.ejendals.com