



## TEGERA® 241

Chemical protection glove, 0,68 mm latex/neoprene, diamond grip pattern, flock-lined, Cat. III, black, extra long, for allround work

### PROPERTIES

Very durable, good grip, good fit

### SPECIFICATION

TYPE OF GLOVE Disposable and/or chemical resistant gloves

CATEGORY Cat. III

SIZE RANGE (EU) 8, 9, 10, 11

MATERIAL Latex/neoprene

THICKNESS 0,68 mm

INSIDE Flock-lined

DEXTERITY 5

GRIP PATTERN Diamond grip pattern

LENGTH RANGE 410 mm

COLOUR Black

PAIRS PER PACKAGE/CARTON 6/60

AQL 0.65

DISPLAY Bag with euro slot

SIZE	ART. NO.	EAN NO.
8	241-8	7392626030831
9	241-9	7392626030848
10	241-10	7392626030855
11	241-11	7392626034853

All values for the specified product are indicated without tolerances and may vary to actual value for individual products. We reserve the right to modify or update the information in this document without prior notice.

## TEGERA® 241

### FEATURES

Protection against chemicals, approved for handling foodstuffs, extra long

### PREVENTS RISK OF

Corrosive injuries, contact with chemicals

### PRIMARY ENVIRONMENTS OF USE

Chemical risk environments, microbiological risk environments, environments hazardous to health, corrosive environments, moist environments, dirty environments, harsh environments

### PRIMARY AREAS OF USE

Painting, agricultural work, chemical work, chemical technology work, laboratory work, paint spraying work

### PRIMARY INDUSTRIES OF USE





Agriculture, pulp and paper, chemical

### TYPE OF WORK

Medium weight

2(4)

CE 0321 Cat. III

 EN 388:2003 3111  EN 374-2:2003  EN 374-3:2003 AKL 

 LATEX 

All values for the specified product are indicated without tolerances and may vary to actual value for individual products. We reserve the right to modify or update the information in this document without prior notice.

2019-02-06

**ejendals**  
PROTECTING HANDS AND FEET

**EJENDALS AB**

Box 7, SE-793 21 Leksand, Sweden

Phone +46 (0) 247 360 00

Fax +46 (0) 247 360 10



info@ejendals.com

order@ejendals.com

www.ejendals.com



CE 0321 Cat. III



## TEGERA® 241

### EC TYPE EXAMINATION

Notified Body: 0321 SATRA Technology Centre, Wyndham Way, Telford Way, Kettering, Northamptonshire, NN16 8SD, United Kingdom

### COMPLIANCE DESCRIPTION

EN 420:2003 Protective gloves - general requirements and test methods

EN 388:2003 Protective gloves against mechanical risks

Property	Level Achieved	(Maximum Performance)
A) Resistance to abrasion (No. of revolutions)	3	(4)
B) Resistance to cutting (Index)	1	(5)
C) Tear resistance (Newton)	1	(4)
D) Puncturing resistance (Newton)	1	(4)

EN 388 - Testing (specifies the requirements that apply for each safety level).

Level of protection/Performance level	1	2	3	4	5
A) Resistance to abrasion (No. of revolutions)	100	500	2000	8000	
B) Resistance to cutting (Index)	1,2	2,5	5,0	10,0	20,0
C) Tear resistance (Newton)	10	25	50	75	
D) Puncturing resistance (Newton)	20	60	100	150	

EN 374-3:2003 Protective gloves against chemicals and micro-organisms - Part 3: Determination of resistance to permeation by chemicals

**ejendals**  
PROTECTING HANDS AND FEET

**EJENDALS AB**

Box 7, SE-793 21 Leksand, Sweden

Phone +46 (0) 247 360 00

Fax +46 (0) 247 360 10

info@ejendals.com

order@ejendals.com

www.ejendals.com

All values for the specified product are indicated without tolerances and may vary to actual value for individual products. We reserve the right to modify or update the information in this document without prior notice.

## TEGERA® 241

Permeation levels are based on breakthrough times as follows

Permeation level	1	2	3	4	5	6
Minimum breakthrough times (min)	10	30	60	120	240	480

Definition of breakthrough time through the glove palm (1ugm/cm<sup>2</sup>/min)


A: Methanol (CAS Number 67-56-1) - Permeation level 2

K: Sodium hydroxide 40% (CAS number 1310-73-2) - Permeation level 6

L: Sulphuric acid 96% (CAS number 7664-93-9) - Permeation level 5



**CE** 0321 Cat. III



All values for the specified product are indicated without tolerances and may vary to actual value for individual products. We reserve the right to modify or update the information in this document without prior notice.

2019-02-06

4(4)

**ejendals**  
PROTECTING HANDS AND FEET

**EJENDALS AB**

Box 7, SE-793 21 Leksand, Sweden

Phone +46 (0) 247 360 00

Fax +46 (0) 247 360 10

info@ejendals.com

order@ejendals.com

www.ejendals.com