



## JALAS® 6498 NATURE

EN ISO 20345:2011, S3 SRC

**PROPERTIES** Highest level of protection, excellent grip, perfect fit, extra comfortable, excellent shock absorption

**PRIMARY ENVIRONMENTS OF USE** Outdoors, all-year use, metal-free requirements for shoes, environments with risk for outsole penetration

**FEATURES** ProNose toe reinforcement, oil-resistant outsole, metal free, anti-static properties, bellows tongue, ventilating insole, pull loops, water repellent, double shock absorption zones, conforms with IEC 61340-5-1 (ESD), good environmental choice, meets the EU flower environmental criteria

**UPPER MATERIAL** Microfiber, textile

**SOLE MATERIAL** Plastic shank, PU outsole

**INSOLE** FX2 Pro

**FITTING** Narrow/Regular

**SIZE RANGE (EU)** 36-47

CE



Composite toecap



ProNose toe reinforcement



Nail protection in plasma-treated composite (PTC) textile



Ergo Shock Absorption System



Water repellent



Anti-static properties



Oil-resistant outsole



ESD



## JALAS® 6498 NATURE

EN ISO 20345:2011, S3 SRC

**PROPERTIES** Highest level of protection, excellent grip, perfect fit, extra comfortable, excellent shock absorption

**PRIMARY ENVIRONMENTS OF USE** Outdoors, all-year use, metal-free requirements for shoes, environments with risk for outsole penetration

**FEATURES** ProNose toe reinforcement, oil-resistant outsole, metal free, anti-static properties, bellows tongue, ventilating insole, pull loops, water repellent, double shock absorption zones, conforms with IEC 61340-5-1 (ESD), good environmental choice, meets the EU flower environmental criteria

**UPPER MATERIAL** Microfiber, textile

**SOLE MATERIAL** Plastic shank, PU outsole

**INSOLE** FX2 Pro

**FITTING** Narrow/Regular

**SIZE RANGE (EU)** 36-47

CE



Composite toecap



ProNose toe reinforcement



Nail protection in plasma-treated composite (PTC) textile



Ergo Shock Absorption System



Water repellent



Anti-static properties



Oil-resistant outsole



ESD