

## JALAS® 1102 VIOLA.

EN ISO 20347:2012, 01 SRC FO

### PROPERTIES

Excellent grip, perfect fit, extra comfortable, very breathable, excellent shock absorption, extremely light

### SPECIFICATION

TYPE OF SHOE Occupational footwear, low shoes

FITTING Regular

SIZE RANGE (EU) 36-42

COLLECTION Flower

PLATFORM Flower

UPPER MATERIAL Full-grain leather

LINING MATERIAL Microfibre, polyester

SOLE MATERIAL Plastic shank, PU outsole

INSOLE FX2 Flower

INSOLE MATERIAL Textile, soft EVA, polyester-based conductive thread, double shock absorption zones in Poron® XRD®

COLOUR Black, pink



**Flower**  
COLLECTION

SIZE	ART. NO.	EAN NO.
36	1102-36	6408487439032
37	1102-37	6408487439049
38	1102-38	6408487439056
39	1102-39	6408487439063
40	1102-40	6408487439070
41	1102-41	6408487439087
42	1102-42	6408487439094

The product features remain unchanged only when insoles recommended by the manufacturer are used. All values for the specified product are indicated without tolerances and may vary to actual value for individual products. We reserve the right to modify or update the information in this document without prior notice.

2018-11-20



SP Technical research institute of Sweden

www.ejendals.com

## JALAS® 1102 VIOLA.

### FEATURES

Low weight, oil-resistant outsole, anti-static properties, ventilating insole, double shock absorption zones, conforms with IEC 61340-5-1 (ESD)

### PREVENTS RISK OF

Antistatic, slipping

### PRIMARY ENVIRONMENTS OF USE

Outdoors, indoors, office environments, dry environments, clean environments

### PRIMARY AREAS OF USE

Hotel- and restaurant work, healthcare, care work, service work, office work, shop work

### PRIMARY INDUSTRIES OF USE

HoReCa, service



Oil-resistant outsole



Ergo-Shock Absorption System



Anti-static properties



ESD

The product features remain unchanged only when insoles recommended by the manufacturer are used. All values for the specified product are indicated without tolerances and may vary to actual value for individual products. We reserve the right to modify or update the information in this document without prior notice.

2018-11-20

2(3)

**ejendals**  
PROTECTING HANDS AND FEET

**EJENDALS AB**

Box 7, SE-793 21 Leksand, Sweden

Phone +46 (0) 247 360 00

Fax +46 (0) 247 360 10

info@ejendals.com

order@ejendals.com

www.ejendals.com

## JALAS® 1102 VIOLA.

**COMPLIANCE**  
EN ISO 20347:2012

### COMPLIANCE DESCRIPTION

O1: Footwear made from leather and other materials excluding all-rubber or all-polymeric footwear + closed seat region + A + E

FO: Oil-resistant outsole

A: Electrical resistance (between 0.1-1000 Mega Ohms)

E: Energy absorption in the heel area (tested at 20 Joules)

SRC: SRA + SRB

IEC 61340-5-1: Electrostatic Discharge (ESD) resistance below 35 megaohm



CE



Oil-resistant outsole



Ergo-Shock Absorption System



Anti-static properties



ESD

The product features remain unchanged only when insoles recommended by the manufacturer are used. All values for the specified product are indicated without tolerances and may vary to actual value for individual products. We reserve the right to modify or update the information in this document without prior notice.

2018-11-20

**ejendals**  
PROTECTING HANDS AND FEET

**EJENDALS AB**

Box 7, SE-793 21 Leksand, Sweden

Phone +46 (0) 247 360 00

Fax +46 (0) 247 360 10

info@ejendals.com

order@ejendals.com

www.ejendals.com