

## JALAS® 1112 IRIS

EN ISO 20347:2012, 01 SRC FO

### PROPERTIES

Excellent grip, good fit, extra comfortable, very breathable, excellent shock absorption, extremely light

### SPECIFICATION

TYPE OF SHOE Occupational footwear, sandals

FITTING Regular

SIZE RANGE (EU) 36-42

COLLECTION Flower

PLATFORM Flower

UPPER MATERIAL Full-grain leather

LINING MATERIAL Microfibre, polyester

SOLE MATERIAL Plastic shank, PU outsole

INSOLE FX2 Flower

INSOLE MATERIAL Textile, soft EVA, polyester-based conductive thread, double shock absorption zones in Poron® XRD®

FASTENING Velcro®

COLOUR Black, grey, pink



**Flower**  
COLLECTION

| SIZE | ART. NO. | EAN NO.       |
|------|----------|---------------|
| 36   | 1112-36  | 6408487439100 |
| 37   | 1112-37  | 6408487439117 |
| 38   | 1112-38  | 6408487439124 |
| 39   | 1112-39  | 6408487439131 |
| 40   | 1112-40  | 6408487439148 |
| 41   | 1112-41  | 6408487439155 |
| 42   | 1112-42  | 6408487439162 |

The product features remain unchanged only when insoles recommended by the manufacturer are used. All values for the specified product are indicated without tolerances and may vary to actual value for individual products. We reserve the right to modify or update the information in this document without prior notice.

## JALAS® 1112 IRIS

### FEATURES

Low weight, oil-resistant outsole, anti-static properties, ventilating insole, adjustable heel strap, adjustable ankle strap, double shock absorption zones, conforms with IEC 61340-5-1 (ESD)

### PREVENTS RISK OF

Antistatic, slipping

### PRIMARY ENVIRONMENTS OF USE

Indoors, office environments, dry environments, clean environments

### PRIMARY AREAS OF USE

Hotel- and restaurant work, healthcare, care work, service work, office work, shop work

### PRIMARY INDUSTRIES OF USE

HoReCa, service



Oil-resistant outsole



Ergo-Shock Absorption System



Anti-static properties



ESD

The product features remain unchanged only when insoles recommended by the manufacturer are used. All values for the specified product are indicated without tolerances and may vary to actual value for individual products. We reserve the right to modify or update the information in this document without prior notice.

2018-11-20

2(3)

**ejendals**  
PROTECTING HANDS AND FEET

### EJENDALS AB

Box 7, SE-793 21 Leksand, Sweden

Phone +46 (0) 247 360 00

Fax +46 (0) 247 360 10

info@ejendals.com

order@ejendals.com

www.ejendals.com

## JALAS® 1112 IRIS

**COMPLIANCE**  
EN ISO 20347:2012

### COMPLIANCE DESCRIPTION

O1: Footwear made from leather and other materials excluding all-rubber or all-polymeric footwear + closed seat region + A + E

FO: Oil-resistant outsole

A: Electrical resistance (between 0.1-1000 Mega Ohms)

E: Energy absorption in the heel area (tested at 20 Joules)

SRC: SRA + SRB

IEC 61340-5-1: Electrostatic Discharge (ESD) resistance below 35 megaohm



CE



Oil-resistant outsole



Ergo-Shock-Absorption System



Anti-static properties



ESD

The product features remain unchanged only when insoles recommended by the manufacturer are used. All values for the specified product are indicated without tolerances and may vary to actual value for individual products. We reserve the right to modify or update the information in this document without prior notice.

2018-11-20

3(3)

**ejendals**  
PROTECTING HANDS AND FEET

**EJENDALS AB**

Box 7, SE-793 21 Leksand, Sweden

Phone +46 (0) 247 360 00

Fax +46 (0) 247 360 10

info@ejendals.com

order@ejendals.com

www.ejendals.com