

# JALAS® 1728 ZENIT EASYROLL

EN ISO 20345:2011, S3 SRC CI

## PROPERTIES

Highest level of protection, excellent grip, perfect fit, extra comfortable, extremely warm, excellent shock absorption

## SPECIFICATION

TYPE OF SHOE Safety footwear, boots/Ankle boots

NAIL PROTECTION MATERIAL Plasma-treated composite (PTC) textile

FITTING Regular

SIZE RANGE (EU) 36-47

COLLECTION Zenit

PLATFORM Zenit

UPPER MATERIAL PU-coated leather, split leather

PRONOSE MATERIAL PU

TOECAP MATERIAL Aluminium

LINING MATERIAL Meida® thermo insulation, polyester fur, aluminium foil

SOLE MATERIAL PU midsole, plastic shank, RPU outsole

INSOLE FX2 Winter

INSOLE MATERIAL Textile, aluminium foil, soft EVA, polyester-based conductive thread, Merino wool, double shock absorption zones in Poron® XRD®

FASTENING Boa®

COLOUR Black, grey, red



**ZENIT** **BOA®**  
COLLECTION

SIZE	ART. NO.	EAN NO.
36	1728-36	6408487501791
37	1728-37	6408487501807
38	1728-38	6408487501814
39	1728-39	6408487501821
40	1728-40	6408487501838
41	1728-41	6408487501845
42	1728-42	6408487501852
43	1728-43	6408487501869
44	1728-44	6408487501876
45	1728-45	6408487501883
46	1728-46	6408487501890
47	1728-47	6408487501906

The product features remain unchanged only when insoles recommended by the manufacturer are used. All values for the specified product are indicated without tolerances and may vary to actual value for individual products. We reserve the right to modify or update the information in this document without prior notice.

## JALAS® 1728 ZENIT EASYROLL

### FEATURES

ProNose toe reinforcement, oil-resistant outsole, anti-static properties, bellows tongue, padded boot shaft, Boa® closure system, quick-tie, stabilizer, pull loops, snow lock, water repellent, double shock absorption zones, conforms with IEC 61340-5-1 (ESD)

### PREVENTS RISK OF

Toe injuries, nail penetration, antistatic, contact with cold

### PRIMARY ENVIRONMENTS OF USE

Outdoors, environments with risk for outsole penetration, cold environments, harsh environments



Aluminium toecap



Stabilizer



Nail protection in plasma-treated composite (PTC) textile



Anti-static properties



Water repellent



ESD



Oil-resistant outsole



ProNose toe reinforcement



Ergothon Shock Absorption System



Winter model

The product features remain unchanged only when insoles recommended by the manufacturer are used. All values for the specified product are indicated without tolerances and may vary to actual value for individual products. We reserve the right to modify or update the information in this document without prior notice.

2019-05-27

2(3)

**ejendals**  
PROTECTING HANDS AND FEET

**EJENDALS AB**

Box 7, SE-793 21 Leksand, Sweden

Phone +46 (0) 247 360 00

Fax +46 (0) 247 360 10

info@ejendals.com

order@ejendals.com

www.ejendals.com

# JALAS® 1728 ZENIT EASYROLL

**COMPLIANCE**  
EN ISO 20345:2011

## COMPLIANCE DESCRIPTION

SB: Footwear with toe protection tested with 200 J impact and 15kN compression force (includes oil resistant outsole)

S1: Footwear made from leather and other materials excluding all-rubber or all-polymeric footwear + closed seat region + SB + A + E

S2: S1 + WRU

S3: S2 + P

WRU: Water-resistant upper

P: Penetration-resistant outsole

CI: Cold insulation

A: Electrical resistance (between 0.1-1000 Mega Ohms)

E: Energy absorption in the heel area (tested at 20 Joules)

SRA: Slip-resistance on ceramic tile floor with Sodium lauryl sulphate solution

SRB: Slip-resistance on steel floor with glycerol

SRC: SRA + SRB

IEC 61340-5-1: Electrostatic Discharge (ESD) resistance below 35 megaohm

BGR 191: Orthopedic footwear adjustment according to German BGR 191. Footwear is tested with adjusted orthopedic insoles in accordance with EN ISO 20345 standard



CE



Aluminium toecap



Stabilizator



Nail protection in plasma-treated composite (PTC) textile



Anti-static properties



Water repellent



ESD



Oil-resistant outsole



ProNose toe reinforcement



Ergothon Shock Absorption System



Winter model

The product features remain unchanged only when insoles recommended by the manufacturer are used. All values for the specified product are indicated without tolerances and may vary to actual value for individual products. We reserve the right to modify or update the information in this document without prior notice.

2019-05-27

3(3)

**ejendals**  
PROTECTING HANDS AND FEET

**EJENDALS AB**

Box 7, SE-793 21 Leksand, Sweden

Phone +46 (0) 247 360 00

Fax +46 (0) 247 360 10

info@ejendals.com

order@ejendals.com

www.ejendals.com