



SIZE	ART. NO.	EAN NO.
7	215-7	7392626014077
8	215-8	7392626014084
9	215-9	7392626014107
10	215-10	7392626014114
11	215-11	7392626014121
12	215-12	7392626035508

All values for the specified product are indicated without tolerances and may vary to actual value for individual products. We reserve the right to modify or update the information in this document without prior notice.

## TEGERA® 215

Cut resistant glove, fully lined, 0,6-0,7 mm full grain goatskin of top quality, polyester, cut resistance level C, KEVLAR® fiber, Cat. II, grey, white, reinforced index finger, reinforced fingertips, elasticated 180°, for precision work

### PROPERTIES

High level of protection, extremely good fingertip sensitivity, durable, perfect fit

### SPECIFICATION

TYPE OF GLOVE Cut resistant gloves

CATEGORY Cat. II

CUT RESISTANCE (EN ISO 13997) Cut resistance level C

CUT RESISTANCE (EN ISO 13997) NEWTON VALUE 11,8

SIZE RANGE (EU) 7, 8, 9, 10, 11, 12

PALM MATERIAL Full grain goatskin of top quality

PALM THICKNESS 0,6-0,7 mm

BACK MATERIAL Polyester

LINING Fully lined

LINING MATERIAL KEVLAR® fiber

DEXTERITY 5

FASTENING Elasticated 180°

LENGTH RANGE 210-260 mm

COLOUR Grey, White

PAIRS PER PACKAGE/CARTON 12/120

PIECES PER BOX 0

DISPLAY Thread OUTER MATERIAL SPECIFICATION Leather, nylon, natural latex

INNER MATERIAL SPECIFICATION Para-aramid



## TEGERA® 215

### FEATURES

Cut resistant according to 388:2016 level C, reinforced index finger, reinforced fingertips

### PREVENTS RISK OF

Cut injuries, abrasion injuries, blisters, grazes, scratches, lacerations

### PRIMARY ENVIRONMENTS OF USE

Harsh environments

### PRIMARY AREAS OF USE

Assembly, building and construction, carpentry, construction, engineering, glass industry work, HVAC installation, installation work, metalwork, repair work, sheet-metal work, tiling, transport work, wood industry work

### PRIMARY INDUSTRIES OF USE

Glass, bricks, concrete, automotive, transportation, utilities, building and construction

### TYPE OF WORK

Light weight

**CE** Cat. II

EN 420:2003  
+ A1:2009



EN 388:2016  
2X21C



All values for the specified product are indicated without tolerances and may vary to actual value for individual products. We reserve the right to modify or update the information in this document without prior notice.

2021-03-29

2(3)

**ejendals**  
PROTECTING HANDS AND FEET

**EJENDALS AB**

Box 7, SE-793 21 Leksand, Sweden

Phone +46 (0) 247 360 00

Fax +46 (0) 247 360 10

info@ejendals.com

order@ejendals.com

www.ejendals.com

## TEGERA® 215

### EU-TYPE EXAMINATION

0493 Centexbel, Technopark 70, BE-9052 Zwijnaarde (Gent) Belgium

### COMPLIANCE DESCRIPTION

EN 420:2003 + A1:2009 Protective gloves - general requirements and test methods

EU 2016/425

EN 388:2016 Protective gloves against mechanical risks

Property	Level Achieved	(Maximum Performance)
a) Resistance to abrasion (No. of revolutions)	2	(4)
b) Cut resistance (Index)	X	(5)
c) Tear resistance (N)	2	(4)
d) Puncturing resistance (N)	1	(4)
e) Cut resistance, EN ISO 13997 (N)	C	(F)
f) Impact protection, EN 13594:2015		(P)

### EN 388 - Testing

(specifies the requirements that apply for each safety level).

Level of protection/Performance level	1	2	3	4	5
a) Resistance to abrasion (No. of revolutions)	100	500	2 000	8 000	
b) Cut resistance (Index)	1,2	2,5	5,0	10,0	20,0
c) Tear resistance (N)	10	25	50	75	
d) Puncturing resistance (N)	20	60	100	150	

Level of protection/Performance level	A	B	C	D	E	F
e) Cut resistance, EN ISO 13997 (N)	2	5	10	15	22	30

Level of protection/Performance level	P
f) Impact protection, EN 13594:2015	Pass (Level 1 ≤ 9 kN)



CE Cat. II

EN 420:2003  
+ A1:2009



EN 388:2016  
2X21C



All values for the specified product are indicated without tolerances and may vary to actual value for individual products. We reserve the right to modify or update the information in this document without prior notice.

2021-03-29

**ejendals**  
PROTECTING HANDS AND FEET

**EJENDALS AB**

Box 7, SE-793 21 Leksand, Sweden

Phone +46 (0) 247 360 00

Fax +46 (0) 247 360 10

info@ejendals.com

order@ejendals.com

www.ejendals.com